

## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application.

### LISTING OF CLAIMS

1. (Currently Amended) A method, including steps of  
importing a media stream, having a portion encoded in accordance with a first  
digital content format, wherein at least a subset of said portion is encrypted;  
decrypting said encrypted subset of said portion;  
encoding [a] said media stream into digital content, in accordance with a second  
digital content format ~~representing that media stream, wherein said encoding~~  
comprises:[i]

encrypting a portion of that digital content, less than the entire digital  
content ~~format representing that media stream~~, the portion of the digital content  
that is encrypted being required for presentation of the media stream;

not encrypting a portion of that digital content, less than the entire digital  
content ~~format representing that media stream~~, the portion of the digital content  
that is not encrypted being sufficient for conducting navigation operations on,  
without decrypting, the media stream represented by the digital content.

2. (Original) A method as in claim 1, wherein

said steps of encoding provide an MPEG encoding of at least some video data.

3. (Original) A method as in claim 1, wherein said steps of encrypting include steps of encrypting at least some audio or video data using a block-substitution cipher.

4. (Original) A method as in claim 1, wherein said steps of encrypting include steps of encrypting at least some audio or video data using a blocksubstitution cipher; and  
refraining from encrypting at least some audio or video data using that block-substitution cipher, wherein an amount of audio or video data not encrypted is less than a block size for that block-substitution cipher.

5. (Original) A method as in claim 1, wherein said steps of encrypting include steps of identifying at least a first set of data and a second set of data in the digital format; and  
separately encrypting the first set of data and the second set of data;  
whereby the first set of data can be made available to a first set of users and the second set of data can be made available to a second set of users, the first set of users being distinguishable from the second set of users.

6. (Previously Presented) A method as in claim 1, wherein said steps of encrypting include steps of refraining from encrypting formatting information.

7. (Currently Amended) A method as in claim 1, wherein ~~the~~ said second digital content format includes at least some audio or video data and at least some formatting information.

8. (Currently Amended) A method as in claim 1, wherein  
the digital content ~~format representing that media stream~~ includes a set of layers, each relatively higher-level layer representing an abstraction for which each relatively lower-level layer represents an implementation thereof;  
a first set of relatively higher-level layers represent audio or video information for the media stream, while a second set of relatively lower-level layers represent techniques by which that information is formatted or supplemented; and  
the step of encrypting is applied only to that portion of the digital content representing audio and video information.

9. (Currently Amended) A method as in claim 1, wherein  
the digital content ~~format representing that media stream~~ includes a set of layers, each relatively higher-level layer representing an abstraction for which each relatively lower-level layer represents an implementation thereof;  
a first set of relatively higher-level layers represent audio or video information for the media stream, while a second set of relatively lower-level layers represent techniques by which that information is broken into packets, indexed, multiplexed, or supplemented with metadata; and  
the step of encrypting is applied only to that portion of the digital content

representing audio and video information.

10. (Currently Amended) A method as in claim 1, wherein  
the digital content ~~format representing that media stream~~ includes a set of layers,  
each relatively higher-level layer representing an abstraction for which each relatively  
lower-level layer represents an implementation thereof;

a first set of relatively higher-level layers represent audio and video information  
for the media stream, while a second set of relatively lower-level layers represent  
techniques by which that information is broken into packets, indexed, multiplexed, or  
supplemented with metadata; and

the step of encrypting is not applied to that portion of the digital content  
representing other than audio and video information.

11. (Previously Presented) A method as in claim 1, wherein the media stream  
includes  
at least one of: still media, an illustration.

12. (Previously Presented) A method as in claim 1, including steps of selecting  
that portion of the digital content for encryption so there is no substantial change in  
distribution of that digital content.

13. (Original) A method as in claim 12, wherein said steps of selecting include  
ensuring there is no substantial change in packetization of a set of digital data in that

digital content.

14. (Original) A method as in claim 12, wherein said steps of selecting include ensuring there is no substantial change in synchronization of audio with video portions of the media stream.

15. (Original) A method as in claim 12, wherein said steps of selecting include ensuring there is no substantial change in length of at least some identifiable audio or video data in that digital content.

16. (Withdrawn) Apparatus including  
an input port capable of being coupled to a communication link, the  
communication link being capable of carrying digital content, the digital content  
including at least some presentable information and at least some formatting information;  
a digital content decoder, the decoder being capable of identifying the presentable  
information in response to the formatting information;  
a digital content decryptor, the decryptor being capable of decrypting the  
presentable information in response to a key;  
wherein the decryptor is protected by a relatively-higher degree of security than  
the decoder.

17. (Withdrawn) Apparatus as in claim 16, wherein the communication link  
includes at least one of:

a computer network capable of carrying digital content;  
a reader capable of retrieving information in response to physical media, the  
physical media being capable of carrying digital content.

18. (Withdrawn) Apparatus as in claim 16, wherein the decoder includes an  
MPEG decoder.

19. (Withdrawn) Apparatus as in claim 16, wherein  
the decoder is included in a first selected set of hardware or software, the first  
selected set being trusted; and  
the decryptor and the key are included in a second selected set of hardware or  
software, the second selected set being relatively more trusted than the first selected set.

20. (Withdrawn) Apparatus as in claim 16, wherein the decoder is responsive to  
the formatting information to present at least some metadata about one or more encrypted  
media streams without the decoder having access to the presentation information.

21. (Withdrawn) Apparatus as in claim 16, wherein the decoder is responsive to  
the formatting information to provide at least one of the following functions without the  
decoder having access to the presentation information:

known playback functions known for media streams;  
navigation within the digital content;  
content selection within the digital content; or

manipulation of the presentation.

22. (Withdrawn) Apparatus as in claim 16, wherein the digital content represents a media stream including at least one of: still media, an illustration.

23. (Withdrawn) Apparatus as in claim 16, wherein the relatively-higher degree of security includes tamper-resistant hardware operating under control of verified software.

24. (Withdrawn) Apparatus as in claim 16, wherein the digital content represents a first media stream and a second media stream, the decoder being responsive to the formatting information and the decryptor being responsive to a selected key, the selected key providing differential access to selected users to the first media stream and the second media stream.

25. (Withdrawn) Apparatus as in claim 24, wherein the first media stream includes

audio information and the second media stream includes video information;

the first media stream includes information in a first natural language and the second media stream includes information in a second natural language;

the first media stream includes presentation information targeted at a first type of audience and the second media stream includes information targeted at a first type of audience.

26. (Currently Amended) A method, including steps of  
importing a media stream having an encrypted portion;  
decrypting said encrypted portion;  
encoding [a] said media stream into a digital content format representing that  
media stream, that digital content format having a set of information nodes, those  
information nodes being disposed in at least a partial ordering, said encoding  
comprising:[;]  
    encrypting a portion of that digital content, the portion being encrypted  
less than the entire digital content format representing that media stream, the  
portion of the digital content that is encrypted being required for presentation of  
the media stream;  
    wherein the unencrypted portion of that digital content is substantially  
closed in a direction under that partial ordering, whereby it is possible to navigate  
the encrypted portion of that digital content without having to decrypt it.

27. (Previously Presented) A method as in claim 1, wherein those navigation  
operations include at least one of: a rewind operation, a fast forward operation, a  
movement operation to a selected location within the digital content, a pause operation, a  
halt operation.

28. (Previously Presented) A method as in claim 1, wherein the encrypted version  
of that digital content is substantially unchanged in formatting parameters from an  
unencrypted version of that digital content.



29. (Previously Presented) A method as in claim 1, including steps of encrypting substantially all of that digital content using second steps of encryption, those second steps of encryption being relatively less secure than those steps of encrypting a portion of that digital content.

30. (Currently Amended) A method as in claim 1, wherein those steps of encrypting only a portion include steps of encrypting only packet payloads when the said second digital content format is one of the group: an MPEG encoding, a variant of an MPEG encoding.

31. Canceled.

32. (Currently Amended) A method as in claim 1, ~~including steps of importing a media stream in a first digital content format, that first digital content format having at least a portion of that media stream encoded in a digital content format, at least a portion of that digital content format being encrypted;~~

wherein said decrypting comprises those steps of encrypting a portion of that digital content ~~include steps of~~ decrypting only a portion of that digital content.

33. (Previously Presented) A method as in claim 32, wherein those steps of decrypting only a portion of that digital content include steps of decrypting only formatting information within that digital content.

34. (Previously Presented) A method as in claim 32, wherein those steps of not decrypting a portion of that digital content include steps of not decrypting metadata.

35. (Currently Amended) A method as in claim [4][32], wherein those steps of not decrypting a portion of that digital content include steps of not decrypting data necessary and sufficient for browsing or searching within a library of files.

36. (Previously Presented) A method as in claim 26, including steps of encrypting substantially all of that digital content using second steps of encryption, those second steps of encryption being relatively less secure than those steps of encrypting a portion of that digital content.

37. (Previously Presented) A method as in claim 26, wherein the encrypted version of that digital content is substantially unchanged in formatting parameters from an unencrypted version of that digital content.

38. (Previously Presented) A method as in claim 26, wherein those navigation operations include at least one of: a rewind operation, a fast forward operation, a movement operation to a selected location within the digital content, a pause operation, a halt operation.

39. (Previously Presented) A method as in claim 26, wherein those steps of

encrypting a portion include steps of

encrypting only packet payloads when the digital content format is one of the group: an MPEG encoding, a variant of an MPEG encoding.

40. (Currently Amended) A computer-readable storage medium having computer-executable instructions for performing steps comprising:

importing a media stream having an encrypted portion;

decrypting said encrypted portion;

encoding [a] said media stream into a digital content format representing that media stream, said encoding comprising: [r]

encrypting a portion of that digital content, less than the entire digital content format representing that media stream, the portion of the digital content that is encrypted being required for presentation of the media stream;

wherein a portion of that digital content, less than the entire digital content format representing that media stream, is not encrypted, the portion of the digital content that is not encrypted being sufficient for conducting navigation operations on, without decrypting, the media stream represented by the digital content.

41. (Previously Presented) A computer-readable storage medium as in claim 40, further comprising:

encrypting at least some audio or video data using a block-substitution cipher; and  
refraining from encrypting at least some audio or video data using that block-substitution cipher, wherein an amount of audio or video data not encrypted is less than a

block size for that block-substitution cipher.

42. (Previously Presented) A computer-readable storage medium as in claim 40, wherein said encrypting comprises refraining from encrypting formatting information.

43. (Previously Presented) A computer-readable storage medium as in claim 40, wherein the media stream includes at least one of: still media, an illustration.

44. (Previously Presented) A computer-readable storage medium as in claim 40, further comprising:

selecting that portion of the digital content for encryption so there is no substantial change in distribution of that digital content.

45. (Previously Presented) A computer-readable storage medium as in claim 44, further comprising:

ensuring there is no substantial change in packetization of a set of digital data in that digital content.

46. (Previously Presented) A computer-readable storage medium as in claim 44, further comprising:

ensuring there is no substantial change in synchronization of audio with video portions of the media stream.

47. (Previously Presented) A computer-readable storage medium as in claim 44, further comprising:

ensuring there is no substantial change in length of at least some identifiable audio or video data in that digital content.

48. (Currently Amended) A computer-readable storage medium having computer-executable instructions for performing steps comprising:

importing a media stream having an encrypted portion;

decrypting said encrypted portion;

encoding [a] said media stream into a digital content format representing that media stream, that digital content format having a set of information nodes, those information nodes being disposed in at least a partial ordering;

encrypting a portion of that digital content, the portion being encrypted less than the entire digital content format representing that media stream, the portion of the digital content that is encrypted being required for presentation of the media stream;

wherein the unencrypted portion of that digital content is substantially closed in a direction under that partial ordering, whereby it is possible to navigate the encrypted portion of that digital content without having to decrypt it.

49. (Previously Presented) A computer-readable storage medium as in claim 48, further comprising:

encrypting substantially all of that digital content using a second set of instructions to encrypt, those second set of instructions to encrypt being relatively less

secure than those instructions to encrypt a portion of that digital content.

50. (Previously Presented) A computer-readable storage medium as in claim 48, further comprising:

encrypting only packet payloads when the digital content format is one of the group: an MPEG encoding, a variant of an MPEG encoding.